

SHARP®

*Twin
Touch™*

**1200
WATTS**

**0.75
CU.FT.**

Twin Touch Heavy Duty Commercial Microwave Oven

RCD1200M

- 0.75 cu. ft. Capacity, with High Quality Stainless Steel Interior, Exterior, and Door
- 10 Pre-Programmed Memory Pads Easily Convert Up-to 100 Memories, or Can Be Programmed Manually for Special Needs or Times
- 4-Stage Programming Enables User to Program in 4 Stages with Different Power Levels and Cooking Time
- Two 1/3-Size Steam Table Pans will Fit Side-by-Side for Greater Flexibility and Higher Volume Cooking
- Accommodates a 1/2-Size Steam Table Pan in Either Direction with Room to Spare



FEATURES

Finish	Stainless Steel
Oven Control	Dual Control Panels
Capacity (cu. ft.)	0.75
Output Power (Watts)	1200
Power Levels	11
Defrost	Yes
Express Defrost	Yes
Stage Cooking	4
Programmable	Yes, 100 Programmable Memories
Double/Triple Quantity	Yes
Self Diagnostics	Yes
Display	Digital
Interior Light	Yes
Door Handle	Trigger Switch
Door, Cabinet, Interior	Stainless Steel
Door Window	See-Through
Viewing Window	Tempered Glass Interior


FEATURES (cont.)



Compact Footprint	Yes
One (1) 1/2 Size Pan Capacity	Yes, Either Direction
Two (2) 1/3 Size Pan Capacity	Yes
Energy Feed	Top & Bottom

DIMENSIONS & WEIGHT (in. / lbs.)

Cavity Dimensions (w x h x d)	14" x 7-1/8" x 13"
Product Dimensions (w x h x d)	17-1/2" x 13-5/8" x 20-1/2"
Product Weight / Shipping Weight	65 lbs / 67 lbs

ADDITIONAL SPECIFICATIONS

AC Power Required	120V, 60 Hz, 1.9kW, 16.0A
NEMA Receptacle	5-20R 
UPC	074000617292



Design and specifications subject to change without notice. Sharp is a registered trademark of Sharp Corporation. TwinTouch, SelectaProgram, SelectaPower, SelectaTime and Express Defrost are trademarks of Sharp Corporation. All other trademarks are the property of their respected owners.

SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale NJ, 07645
1.800.237.4277 • www.sharpsusa.com

© 2020 Sharp Electronics Corporation. All rights reserved.

SHARP®
Be Original.